



rk steel smith
defining workspace




SHOPFLOOR TROLLEY
PRODUCT RANGE

2018



Perfo. Panel

03 to 13



Colour

14



Technical Detail:
 (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
 (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
 (3) **Shelve:** 2mm Thk. (14g.)
 (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
 (5) **Load capacity:** 300 Kg.

Minimum order Qty. - 05no.

RK SHOP T-01



Technical Detail:
 (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
 (2) **Frame:** 50 X 50 X 3mm Thk. (14g.) Angle
 (3) **Fix Shelve 2no.:** 2mm Thk. (14g.)
 (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
 (5) **Load capacity:** 300 Kg.

Minimum order Qty. - 05no.


RK SHOP T-02



Technical Detail:
 (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
 (2) **Frame:** 50 X 50 X 3mm Thk. (14g.) Angle
 (3) **Fix Shelve 3no.:** 2mm Thk. (14g.)
 (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
 (5) **Load capacity:** 300 Kg.

Minimum order Qty. - 05no.

RK SHOP T-03



RK SHOP T-04

Technical Detail:
 (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
 (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
 (3) **Fix Shelve 2no.:** 2mm Thk. (14g.)
 (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
 (5) **Load capacity:** 300 Kg.

Minimum order Qty. - 05no.



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 1200mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Adjustable Shelve 2no.:** 2mm Thk. (14g.)
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 300 Kg.

Minimum order Qty. - 05no.

RK SHOP T-05



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 1600mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Adjustable Shelve 3no.:** 2mm Thk. (14g.)
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 300 Kg.

Minimum order Qty. - 05no.

RK SHOP T-06



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 1600mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Adjustable Shelve 5no.:** 2mm Thk. (14g.)
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 300 Kg.

Minimum order Qty. - 05no.

RK SHOP T-07



RK SHOP T-08

Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 1600mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Fix Shelve 2no.:** 2mm Thk. (14g.)
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 300 Kg.

Minimum order Qty. - 05no.



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve :** Ply 18mm thk. & **Side Panel :** 25 X 25 X 3mm Thk. Wiremesh
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-09



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve:** Ply 18mm thk. & **Side Panel :** 25 X 25 X 3mm Thk. Wiremesh
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-10



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve:** Ply 18mm thk. & **Side Panel :** 25 X 25 X 3mm Thk. Wiremesh
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-11



RK SHOP T-12

Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve:** Ply 18mm thk. & **Side Panel :** 25 X 25 X 3mm Thk. Wiremesh
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve & Side Panel :** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-13



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve & Side Panel :** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-14



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve & Side Panel :** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-15



RK SHOP T-16

Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve & Side Panel :** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve:** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-17



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve & Side Panel :** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-18



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve & Side Panel :** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-19



RK SHOP T-20

Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve:** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Fix Shelve 3no.:** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-21



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 1600mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Fix Shelve 4no.:** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-22



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Fix Shelve :** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-23



RK SHOP T-24

Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 1600mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Fix Shelve :** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 900mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Fix Shelve 3no.:** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-25



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 1600mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Fix Shelve 4no.:** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-26



Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 1600mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Fix Shelve 5no. :** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-27



RK SHOP T-28

Technical Detail:

- (1) **Overall Dimension:** 900mm W. X 600mm D. X 1600mm H.
- (2) **Frame:** 25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Fix Shelve 5no. :** Ply 18mm thk.
- (4) **PU wheel:** 125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:** 200 Kg.

Minimum order Qty. - 05no.



Technical Detail:

- (1) **Overall Dimension:**
900mm W. X 600mm D. X 900mm H.
- (2) **Frame:**
25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve & Side Panel :** Ply 18mm thk.
- (4) **PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:**
200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-29



Technical Detail:

- (1) **Overall Dimension:**
900mm W. X 600mm D. X 900mm H.
- (2) **Frame:**
25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve & Side Panel :** Gl. 1.5mm thk.
- (4) **PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:**
200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-31



Technical Detail:

- (1) **Overall Dimension:**
900mm W. X 600mm D. X 900mm H.
- (2) **Frame:**
25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve, Lid & Side Panel :** Ply 18mm thk.
- (4) **PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:**
200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-30



Technical Detail:

- (1) **Overall Dimension:**
900mm W. X 600mm D. X 900mm H.
- (2) **Frame:**
25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve, Lid & Side Panel :** Gl. 1.5mm thk.
- (4) **PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:**
200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-32




Technical Detail:

- (1) **Overall Dimension:**
900mm W. X 600mm D. X 900mm H.
- (2) **Frame:**
25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve:** Ply 18mm thk. &
Side Panel & Door:
No Wiremesh only 1.6mm thk.
Diagonal Perforated Sheet
- (4) **PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:**
200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-33



Technical Detail:

- (1) **Overall Dimension:**
900mm W. X 600mm D. X 900mm H.
- (2) **Frame:**
25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve:** Ply 18mm thk. &
Side Panel & Door:
No Wiremesh only 1.6mm thk.
Diagonal Perforated Sheet
- (4) **PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:**
200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-34




Technical Detail:

- (1) **Overall Dimension:**
900mm W. X 600mm D. X 1600mm H.
- (2) **Frame:**
25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve 5no.:** Ply 18mm thk. &
Side Panel : No Wiremesh only 1.6mm thk.
Diagonal Perforated Sheet
- (4) **PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:**
200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-35



Technical Detail:

- (1) **Overall Dimension:**
900mm W. X 600mm D. X 1600mm H.
- (2) **Frame:**
25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve 5no.:** Ply 18mm thk. &
Side Panel & Door:
No Wiremesh only 1.6mm thk.
Diagonal Perforated Sheet
- (4) **PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:**
200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-36




Technical Detail:

- (1) **Overall Dimension:**
900mm W. X 600mm D. X 900mm H.
- (2) **Frame:**
25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve:** Ply 18mm thk. &
Side Panel & Door:
6 mm rod Wire-mesh 50mm pitch
- (4) **PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:**
200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-37



Technical Detail:

- (1) **Overall Dimension:**
900mm W. X 600mm D. X 900mm H.
- (2) **Frame:**
25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve:** Ply 18mm thk. &
Side Panel & Door:
6 mm rod Wire-mesh 50mm pitch
- (4) **PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:**
200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-38




Technical Detail:

- (1) **Overall Dimension:**
900mm W. X 600mm D. X 1600mm H.
- (2) **Frame:**
25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve 5no.:** Ply 18mm thk. &
Side Panel :
6 mm rod Wire-mesh 50mm pitch
- (4) **PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:**
200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-39



Technical Detail:

- (1) **Overall Dimension:**
900mm W. X 600mm D. X 1600mm H.
- (2) **Frame:**
25 X 25 X 2mm Thk. (14g.) Square Pipe
- (3) **Shelve 5no.:** Ply 18mm thk. &
Side Panel & Door:
6 mm rod Wire-mesh 50mm pitch
- (4) **PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- (5) **Load capacity:**
200 Kg.

Minimum order Qty. - 05no.

RK SHOP T-40



Technical Detail:

- Overall Dimension:**
900mm W. X 600mm D. X 1200mm H.
- Housing:**
14 Gauge (2mm thk.) Construction
- Compartment : 06no.**
- Each compartment size: 450W. X 375D. X 300H.**
- PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- Load capacity:**
300 Kg.

Minimum order Qty. - 05no.

RK SHOP T-120-41



Technical Detail:

- Overall Dimension:**
900mm W. X 600mm D. X 1200mm H.
- Housing:**
14 Gauge (2mm thk.) Construction
- Compartment : 03no.**
- Each compartment size: 900W. X 375D. X 300H.**
- PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- Load capacity:**
300 Kg.

Minimum order Qty. - 05no.

RK SHOP T-100-42



Technical Detail:

- Overall Dimension:**
900mm W. X 600mm D. X 1200mm H.
- Housing:**
14 Gauge (2mm thk.) Construction
- Compartment : 09no.**
- Each compartment size: 300W. X 375D. X 300H.**
- PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- Load capacity:**
300 Kg.

Minimum order Qty. - 05no.

RK SHOP T-130-43



Technical Detail:

- Overall Dimension:**
900mm W. X 600mm D. X 1200mm H.
- Housing:**
14 Gauge (2mm thk.) Construction
- Compartment : 12no.**
- Each compartment size: 225W. X 375D. X 300H.**
- PU wheel:**
125mm dia. X 32 thk. (2-fix, 2-brake)
- Load capacity:**
300 Kg.

Minimum order Qty. - 05no.

RK SHOP T-140-44

Standard Color option :



AMERICAN BLUE
STRUCTURE FINISH



7035 PALE GREY
STRUCTURE FINISH



DA GREY
STRUCTURE FINISH



PO RED
STRUCTURE FINISH

Assembled components are transfer to pre-treatment plant for treating in 7 tank for degrees, zinc, phosphating and passivation.

Material received from pre-treatment department are immediately powder coated in the dust free painting booth and then the articles are put inside a baking oven at a temperature of 180° C for about 20 minutes.



rk steel smith
defining workspace



Plot- B/32 (Part-2) Bileshwar Indl. Estate,
Opp. G.V.M.M.,
Odhav-Kathwada Road,
Ahmedabad - 382415
Gujarat (INDIA).



+91 94 281 35 100
+91 98 253 00 059



rksteelsmith@gmail.com
info@rksteelsmith.com
sales@rksteelsmith.com



www.rksteelsmith.com