

rk steel smith
defining workspace



1200MM WIDE WORKBENCH

PRODUCT RANGE

2018



Workbench
1200 Wide

03 & 06




Workbench
1200 Wide Plain drawers (No Partition and Divider)

07



Workbench
Wooden Top & Vice

08



Workbench
Drawer Layout

09



Workbench
Over head Perfo. Panel

10 & 11



Colour

12

1200 Wide Workstation

40mm X 40mm X 2mm thk. Square Pipe Frame

Technical Detail -

(1) Overall Dimension: **1200mm W. X 750mm D. X 850mm H.**

(4) Work Top Accessories Option: **Page-08**

(7) Standard: **Plain Drawer** (Option: **Drawers interior- Page-09**)

(2) Drawer Normal Extension: **80%**

(5) Usable drawer dimensions : **450mm W. x 450mm D.**

(8) Overhead Perfo. Panel Option: **Page-10 & 11**

(3) Each drawer load cap.: **60kg. UDL**

(6) Static Load Cap. **500kg.**



RK WS 1200 001



RK WS 1200 002



RK WS 1200 003



RK WS 1200 004



RK WS 1200 005



RK WS 1200 006



RK WS 1200 007



RK WS 1200 008



RK WS 1200 009



RK WS 1200 010



RK WS 1200 011



RK WS 1200 012



RK WS 1200 013



RK WS 1200 014

Technical Detail -

- (1) Overall Dimension: **1200mm W. X 750mm D. X 850mm H.**
- (2) Drawer Normal Extension: **80%**
- (3) Each drawer load cap.: **60kg. UDL**
- (4) Work Top Accessories Option: **Page-08**
- (5) Usable drawer dimensions : **450mm W. x 450mm D.**
- (6) Static Load Cap. **500kg.**
- (7) Standard: **Plain Drawer** (Option: Drawers interior- **Page-09**)
- (8) Overhead Perfo. Panel Option: **Page-10 & 11**



with back or bottom leg support

RK WS 1200 015



with back or bottom leg support

RK WS 1200 016



with back or bottom leg support

Available drawer configuration model:

RK WS 1200 017 ▶ 100X3 Drawer

RK WS 1200 018 ▶ 150X2 Drawer



100
150
450mm H. Compt.

RK WS 1200 019



Available drawer configuration model:

RK WS 1200 021 ▶ 100X2, 200X1, 300X1 Drawers

RK WS 1200 022 ▶ 75X2, 100X2, 150X1, 200X1 Drawers

RK WS 1200 023 ▶ 100x1, 150X2, 300X1 Drawers

RK WS 1200 024 ▶ 100x2, 150X2, 200X1 Drawers

RK WS 1200 025 ▶ 100x4, 150X2 Drawers



Available drawer configuration model:

RK WS 1200 026 ▶ 100X2, 200X1, 300X1 Drawers (L&R)

RK WS 1200 027 ▶ 75X2, 100X2, 150X1, 200X1 Drawers (L&R)

RK WS 1200 028 ▶ 100x1, 150X2, 300X1 Drawers (L&R)

RK WS 1200 029 ▶ 100x2, 150X2, 200X1 Drawers (L&R)

RK WS 1200 030 ▶ 100x4, 150X2 Drawers (L&R)



100
150
450H. Door with Retractable shelf

RK WS 1200 020

Technical Detail -

- (1) Overall Dimension: **1200mm W. X 750mm D. X 850mm H.**
- (2) Drawer Normal Extension: **80%**
- (3) Each drawer load cap.: **60kg. UDL**
- (4) Work Top Accessories Option: **Page-08**
- (5) Usable drawer dimensions : **450mm W. x 450mm D.**
- (6) Static Load Cap. **500kg.**
- (7) Standard: **Plain Drawer** (Option: Drawers interior- **Page-09**)
- (8) Overhead Perfo. Panel Option: **Page-10 & 11**



Technical Detail -

(1) Overall Dimension: **1200mm W. X 750mm D. X 850mm H.**

(4) Work Top Accessories **Page-08**

(7) Standard: **Plain Drawer** (Option: **Drawers interior- Page-09**)

(2) Drawer Normal Extension: **80%**

(5) Usable drawer dimensions : **450mm W. x 450mm D.**

(8) Overhead Perfo. Panel Option: **Page-10 & 11**

(3) Each drawer load cap.: **60kg. UDL**

(6) Static Load Cap. **300kg.**

(9) PU wheel: **125mm dia. X 32 thk.**



RK WS 1200 039



100 (without lock)

RK WS 1200 040



Power leg 200mm wide

Domestic 5 Amp. Switch & socket 3no.

100mm (without lock)

RK WS 1200 041

Power leg 200mm wide

Domestic 5 Amp. Switch & socket 3no.



RK WS 1200 042

Power leg 200mm wide

Domestic 5 Amp. Switch & socket 3no.



Available drawer configuration model:

RK WS 1200 043 ▶ 100X3 Drawer

RK WS 1200 044 ▶ 150X2 Drawer

Technical Detail -

- (1) Overall Dimension: **1200mm W. X 750mm D. X 850mm H.**
- (4) Work Top Accessories Option: **Page-08**
- (7) Standard: **Plain Drawer**

- (2) Drawer Normal Extension: **80%**
- (5) Usable drawer dimensions : **450mm W. x 450mm D.**
- (8) Overhead Perfo. Panel Option: **Page-10 & 11**

- (3) Each drawer load cap.: **60kg. UDL**
- (6) Static Load Cap. **500kg.**



35mm Thk. Naked Ply top with 4 mm thk. Rubber sheet



RK WS 1200 045



RK WS 1200 046



RK WS 1200 047



RK WS 1200 048



RK WS 1200 049

3mm Thk. Metal Sheet top with edging (3 side up & front side down) .



RK WS 1200 050



RK WS 1200 051



RK WS 1200 052



RK WS 1200 053



RK WS 1200 054

RK WS TOP 001



Rubber sheet

35mm Thk. (Standard)
50mm Thk. (Option) Ply top
and 4mm Thk. Loose rubber sheet
Border cover with solid wood
with natural polish.


RK WS TOP 002



Angle section edging (4 side)

35mm Thk. (Standard)
50mm Thk. (Option) Ply top and
4mm Thk. Rubber sheet with
Angle section edging (4 side)
covered with a 1.5 mm thk.


RK WS TOP 003



GI (galvanise) sheet.

35mm Thk. (Standard)
50mm Thk. (Option) Ply top
covered with a 1.5 or 2.0 mm thk.
GI (galvanise) sheet.


RK WS TOP 004



304 S.S. (Stainless steel) Sheet.

35mm Thk. (Standard)
50mm Thk. (Option) Ply top
covered with a 1.5 or 2.0 mm thk.
304 S.S. (Stainless steel) Sheet.

RK WS TOP 005




Laminate sheet

35mm Thk. (Standard)
50mm Thk. (Option) Ply top
1mm Laminate Sheet,
Border cover with solid wood
with natural polish.

RK WS TOP 006

MS Plate use only Page no - 3 Workbench



6mm Thk. (Standard) MS Plate
8mm Thk. (Option) MS Plate
10mm Thk. (Option) MS Plate

Extra heavy duty work - Teak wood log




RK WS TOP 007 50mm Thk.

RK WS TOP 008 75mm Thk.

RK WS TOP 009 100mm Thk.

50 X 50 / **75** / **100** mm Thk. (Standard) Teak wood log

All log jointing with adhesive & 16mm round bar



← 10mm log compress bolt

RK WS VS 001 Front way jaw open (100 mm Jaw Vice)

RK WS VS 002 Front way jaw open (125 mm Jaw Vice)

RK WS VS 003 Front way jaw open (150 mm Jaw Vice)



Drawers Layout for 75 to 150mm H. Drawers (150mm onward plain drawers)

RK WS DR 600-1

450W X 450D
75mm to 300mm
drawers




RK WS DR 600-2

450W X 450D
75mm to 300mm
drawers



RK WS DR 600-3


Each 150W X 450D-4no.
compartment
75/100/150 drawers



Long tool
storage


RK WS DR 600-4

Each 225W X 150D-6no.
compartment
75/100/150 drawers



RK WS DR 600-5

Each 150W X 150D-9no.
compartment
75/100/150 drawers



Plastic container only for 75 & 100mm H. Drawers




45mm H.
75mm Drawers



75mm H.
100mm Drawers

RK WS DR 600-P1


75/100 drawers



75W.X75D.X45/75H.
30no.
Plastic container
in each drawer

RK WS DR 600-P2


75/100 drawers



75W.X150D.X45/75H.
18no.
Plastic container
in each drawer

RK WS DR 600-P3


75/100 drawers





150W.X150D.X45/75H.
09no.
Plastic container
in each drawer




RK WS DR 600-P4

75/100 drawers



150W.X150D.X45/75H.
06no.
Plastic container
in each drawer
75W.X150D.X45/75H.
06no.
Plastic container
in each drawer





Standard Color option :



AMERICAN BLUE
STRUCTURE FINISH



7035 PALE GREY
STRUCTURE FINISH



DA GREY
STRUCTURE FINISH



PO RED
STRUCTURE FINISH

Assembled components are transfer to pre-treatment plant for treating in 7 tank for degrees, zinc, phosphating and passivation.

Material received from pre-treatment department are immediately powder coated in the dust free painting booth and then the articles are put inside a baking oven at a temperature of 180° C for about 20 minutes.



rk steel smith
defining workspace



Plot- B/32 (Part-2) Bileshwar Indl. Estate,
Opp. G.V.M.M.,
Odhav-Kathwada Road,
Ahmedabad - 382415
Gujarat (INDIA).



+91 94 281 35 100
+91 98 253 00 059



rksteelsmith@gmail.com
info@rksteelsmith.com
sales@rksteelsmith.com



www.rksteelsmith.com