

rk steel smith
defining workspace



2000MM WIDE WORKBENCH
PRODUCT RANGE

2018



Workbench
2000 Wide

03 to 10




Workbench
2000 Wide Plain drawers (No Partition and Divider)

11 to 13





Workbench
Wooden Top & Vice

14



Workbench
Drawer Layout 15



Workbench
Over head Perfo. Panel

16 & 17

Technical Detail -

(1) Overall Dimension: **2000mm W. X 750mm D. X 850mm H.**

(4) Work Top Accessories Option: **Page-14**

(7) Standard: **Plain Drawer** (Option: Drawers interior- **Page-15**)

(2) Drawer Normal Extension: **80%**

(5) Usable drawer dimensions : **450mm W. x 450mm D.**

(8) Overhead Perfo. Panel Option: **Page-16 to 17**

(3) Each drawer load cap.: **60kg. UDL**

(6) Static Load Cap. **1000kg.**



with back or bottom leg support

Available drawer configuration model:

RK WS 2000 001 ▶ 100X1 drawer

RK WS 2000 002 ▶ 150X1 drawer

RK WS 2000 003 ▶ 200X1 drawer



with back or bottom leg support

Available drawer configuration model:

RK WS 2000 004 ▶ 100X3 drawer

RK WS 2000 005 ▶ 150X2 drawer

RK WS 2000 006 ▶ 75X4 drawer

RK WS 2000 007 ▶ 75X2, 150X1 drawer

RK WS 2000 008 ▶ 100X1, 200X1 drawer



with back or bottom leg support

Available drawer configuration model:

RK WS 2000 009 ▶ 100X2 drawer with 450H. door

RK WS 2000 010 ▶ 75X1, 100X1 drawer with 475H. door

RK WS 2000 011 ▶ 75X1, 150X1 drawer with 425H. door

RK WS 2000 012 ▶ 100X1, 150X1 drawer with 400H. door



with back or bottom leg support

Available drawer configuration model:

RK WS 2000 013 ▶ 100X3 drawer (L&R)

RK WS 2000 014 ▶ 150X2 drawer (L&R)

RK WS 2000 015 ▶ 75X4 drawer (L&R)

RK WS 2000 016 ▶ 75X2, 150X1 drawer (L&R)

RK WS 2000 017 ▶ 100X1, 200X1 drawer (L&R)

Technical Detail -

(1) Overall Dimension: **2000mm W. X 750mm D. X 850mm H.**

(4) Work Top Accessories Option: **Page-14**

(7) Standard: **Plain Drawer** (Option: Drawers interior- **Page-15**)

(2) Drawer Normal Extension: **80%**

(5) Usable drawer dimensions : **450mm W. x 450mm D.**

(8) Overhead Perfo. Panel Option: **Page-16 to 17**

(3) Each drawer load cap.: **60kg. UDL**

(6) Static Load Cap. **1000kg.**



Available drawer configuration model:

RK WS 2000 018 ▶ 100X1, 150X1 drawer with 400H. door (R)

RK WS 2000 018 ▶ 100X drawer with 550H. door (L)

RK WS 2000 019 ▶ 150X2 drawer with 350H. door (R)

RK WS 2000 019 ▶ 150X1 drawer with 500H. door (L)

RK WS 2000 020 ▶ 100X2 drawer with 450H. door (R)

RK WS 2000 020 ▶ 150X1 drawer with 500H. door (L)



RK WS 2000 027 ▶ 100X2, 200X1, 300X1 Drawers

RK WS 2000 027 ▶ 100X1, 150X1 drawer with 400H. door (L)

RK WS 2000 028 ▶ 75X2, 100X2, 150X1, 200X1 Drawers (R)

RK WS 2000 028 ▶ 100X1, 150X1 drawer with 400H. door (L)

RK WS 2000 029 ▶ 100X1, 150X2, 300X1 Drawers (R)

RK WS 2000 029 ▶ 100X1, 150X1 drawer with 400H. door (L)

RK WS 2000 030 ▶ 100X2, 150X2, 200X1 Drawers (R)

RK WS 2000 030 ▶ 100X1, 150X1 drawer with 400H. door (L)

RK WS 2000 031 ▶ 100X4, 150X2 Drawers (R)

RK WS 2000 031 ▶ 100X1, 150X1 drawer with 400H. door (L)

RK WS 2000 032 ▶ 100X7 Drawers (R)

RK WS 2000 032 ▶ 100X1, 150X1 drawer with 400H. door (L)



with back or bottom leg support

Available drawer configuration model:

RK WS 2000 021 ▶ 100X2, 200X1, 300X1 Drawers

RK WS 2000 022 ▶ 75X2, 100X2, 150X1, 200X1 Drawers

RK WS 2000 023 ▶ 100X1, 150X2, 300X1 Drawers

RK WS 2000 024 ▶ 100X2, 150X2, 200X1 Drawers

RK WS 2000 025 ▶ 100X4, 150X2 Drawers

RK WS 2000 026 ▶ 100X7 Drawers

Technical Detail -

- (1) Overall Dimension: **2000mm W. X 750mm D. X 850mm H.**
- (2) Drawer Normal Extension: **80%**
- (3) Each drawer load cap.: **60kg. UDL**
- (4) Work Top Accessories Option: **Page-14**
- (5) Usable drawer dimensions : **450mm W. x 450mm D.**
- (6) Static Load Cap. **1000kg.**
- (7) Standard: **Plain Drawer** (Option: Drawers interior- **Page-15**)
- (8) Overhead Perfo. Panel Option: **Page-16 to 17**



Available drawer configuration model:

- RK WS 2000 033** ▶ 100X2, 200X1, 300X1 Drawers (L&R)
- RK WS 2000 034** ▶ 75X2, 100X2, 150X1, 200X1 Drawers (L&R)
- RK WS 2000 035** ▶ 100X1, 150X2, 300X1 Drawers (L&R)
- RK WS 2000 036** ▶ 100X2, 150X2, 200X1 Drawers (L&R)
- RK WS 2000 037** ▶ 100X4, 150X2 Drawers (L&R)
- RK WS 2000 038** ▶ 100X7 Drawers (L&R)



Available drawer configuration model:

- RK WS 2000 039** ▶ 100X2, 200X1, 300X1 Drawers (L/M/R)
- RK WS 2000 040** ▶ 75X2, 100X2, 150X1, 200X1 Drawers (L/M/R)
- RK WS 2000 041** ▶ 100X1, 150X2, 300X1 Drawers (L/M/R)
- RK WS 2000 042** ▶ 100X2, 150X2, 200X1 Drawers (L/M/R)
- RK WS 2000 043** ▶ 100X4, 150X2 Drawers (L/M/R)
- RK WS 2000 044** ▶ 100X7 Drawers (L/M/R)

Available drawer configuration model:

- RK WS 2000 045** ▶ 100X2, 200X1, 300X1 Drawers (L&R)
- RK WS 2000 046** ▶ 75X2, 100X2, 150X1, 200X1 Drawers (L&R)
- RK WS 2000 047** ▶ 100X1, 150X2, 300X1 Drawers (L&R)
- RK WS 2000 048** ▶ 100X2, 150X2, 200X1 Drawers (L&R)
- RK WS 2000 049** ▶ 100X4, 150X2 Drawers (L&R)
- RK WS 2000 050** ▶ 100X7 Drawers (L&R)

Technical Detail -

(1) Overall Dimension: **2000mm W. X 750mm D. X 850mm H.**

(4) Work Top Accessories Option: **Page-14**

(7) Standard: **Plain Drawer** (Option: **Drawers interior- Page-15**)


(2) Drawer Normal Extension: **80%**

(5) Usable drawer dimensions : **450mm W. x 450mm D.**



(8) Overhead Perfo. Panel Option: **Page-16 to 17**

(3) Each drawer load cap.: **60kg. UDL**

(6) Static Load Cap. **1000kg.**



RK WS 2000 051



Available drawer configuration model:

RK WS 2000 052 ▶ 100X3 Drawer

RK WS 2000 053 ▶ 150X2 Drawer

Available drawer configuration model:

RK WS 2000 054 ▶ 100X2, 200X1, 300X1 Drawers

RK WS 2000 055 ▶ 75X2, 100X2, 150X1, 200X1 Drawers

RK WS 2000 056 ▶ 100X1, 150X2, 300X1 Drawers

RK WS 2000 057 ▶ 100X2, 150X2, 200X1 Drawers

RK WS 2000 058 ▶ 100X4, 150X2 Drawers

RK WS 2000 059 ▶ 100X7 Drawers

Technical Detail -

(1) Overall Dimension: **2000mm W. X 750mm D. X 850mm H.**

(4) Work Top Accessories Option: **Page-14**

(7) Standard: **Plain Drawer** (Option: **Drawers interior- Page-15**)

(2) Drawer Normal Extension: **80%**

(5) Usable drawer dimensions : **450mm W. x 450mm D.**

(8) Overhead Perfo. Panel Option: **Page-16 to 17**

(3) Each drawer load cap.: **60kg. UDL**

(6) Static Load Cap. **1000kg.**



RK WS 2000 060



RK WS 2000 061



RK WS 2000 062



RK WS 2000 063



RK WS 2000 064



RK WS 2000 065



RK WS 2000 066



RK WS 2000 067



RK WS 2000 068

2000 Wide Workstation

40mm X 40mm X 2mm thk. Square Pipe Frame

Technical Detail -

(1) Overall Dimension: **2000mm W. X 750mm D. X 850mm H.**

(4) Work Top Accessories Option: **Page-14**

(7) Standard: **Plain Drawer** (Option: Drawers interior- **Page-15**)

(2) Drawer Normal Extension: **80%**

(5) Usable drawer dimensions : **450mm W. x 450mm D.**

(8) Overhead Perfo. Panel Option: **Page-16 to 17**

(3) Each drawer load cap.: **60kg. UDL**

(6) Static Load Cap. **1000kg.**



2000 Wide Workstation

40mm X 40mm X 2mm thk. Square Pipe Frame

Technical Detail -

(1) Overall Dimension: **2000mm W. X 750mm D. X 850mm H.**

(4) Work Top Accessories Option: **Page-14**

(7) Standard: **Plain Drawer** (Option: **Drawers interior- Page-15**)

(2) Drawer Normal Extension: **80%**

(5) Usable drawer dimensions : **450mm W. x 450mm D.**

(8) Overhead Perfo. Panel Option: **Page-16 to 17**

(3) Each drawer load cap.: **60kg. UDL**

(6) Static Load Cap. **1000kg.**



2000 Wide Workstation

40mm X 40mm X 2mm thk. Square Pipe Frame

Technical Detail -

(1) Overall Dimension: **2000mm W. X 750mm D. X 850mm H.**

(4) Work Top Accessories Option: **Page-14**

(7) Standard: **Plain Drawer** (Option: **Drawers interior- Page-15**)

(2) Drawer Normal Extension: **80%**

(5) Usable drawer dimensions : **450mm W. x 450mm D.**

(8) Overhead Perfo. Panel Option: **Page-16 to 17**

(3) Each drawer load cap.: **60kg. UDL**

(6) Static Load Cap. **1000kg.**



Technical Detail -

- (1) Overall Dimension: **2000mm W. X 750mm D. X 850mm H.**
- (4) Work Top Accessories Option: **Page-14 (096 to 103 model)**
- (7) Standard: **Plain Drawer**

- (2) Drawer Normal Extension: **80%**
- (5) Usable drawer dimensions : **450mm W. x 450mm D.**
- (8) Overhead Perfo. Panel Option: **Page-16 to 17**

- (3) Each drawer load cap.: **60kg. UDL**
- (6) Static Load Cap. **1000kg.**



35mm Thk. Naked Ply top with 4 mm thk. Rubber sheet



RK WS 2000 092



RK WS 2000 093



RK WS 2000 094



RK WS 2000 095

3mm Thk. Metal Sheet top with edging (3 side up & front side down) .



RK WS 2000 096



RK WS 2000 097



RK WS 2000 098



RK WS 2000 099

Technical Detail -

- (1) Overall Dimension: **2000mm W. X 750mm D. X 850mm H.**
- (4) Work Top Accessories Option: **Page-14 (104 to 111 model)**
- (7) Standard: **Plain Drawer**

- (2) Drawer Normal Extension: **80%**
- (5) Usable drawer dimensions : **450mm W. x 450mm D.**
- (8) Overhead Perfo. Panel Option: **Page-16 to 17**

- (3) Each drawer load cap.: **60kg. UDL**
- (6) Static Load Cap. **1000kg.**



35mm Thk. Naked Ply top with 4 mm thk. Rubber sheet



RK WS 2000 100



RK WS 2000 101



RK WS 2000 102



RK WS 2000 103

3mm Thk. Metal Sheet top with edging (3 side up & front side down) .



RK WS 2000 104



RK WS 2000 105



RK WS 2000 106



RK WS 2000 107

Technical Detail -

- (1) Overall Dimension: **2000mm W. X 750mm D. X 850mm H.**
- (4) Work Top Accessories Option: **Page-14** (112 to 119 model)
- (7) Standard: **Plain Drawer**

- (2) Drawer Normal Extension: **80%**
- (5) Usable drawer dimensions : **450mm W. x 450mm D.**
- (8) Overhead Perfo. Panel Option: **Page-16 to 17**

- (3) Each drawer load cap.: **60kg. UDL**
- (6) Static Load Cap. **1000kg.**



35mm Thk. Naked Ply top with 4 mm thk. Rubber sheet



3mm Thk. Metal Sheet top with edging (3 side up & front side down) .



RK WS TOP 001



Rubber sheet

35mm Thk. (Standard)
50mm Thk. (Option) Ply top
and 4mm Thk. Loose rubber sheet
Border cover with solid wood
with natural polish.


RK WS TOP 002



Angle section edging (4 side)

35mm Thk. (Standard)
50mm Thk. (Option) Ply top and
4mm Thk. Rubber sheet with
Angle section edging (4 side)
covered with a 1.5 mm thk.


RK WS TOP 003



GI (galvanise) sheet.

35mm Thk. (Standard)
50mm Thk. (Option) Ply top
covered with a 1.5 or 2.0 mm thk.
GI (galvanise) sheet.


RK WS TOP 004



304 S.S. (Stainless steel) Sheet.

35mm Thk. (Standard)
50mm Thk. (Option) Ply top
covered with a 1.5 or 2.0 mm thk.
304 S.S. (Stainless steel) Sheet.

RK WS TOP 005




Laminate sheet

35mm Thk. (Standard)
50mm Thk. (Option) Ply top
1mm Laminate Sheet,
Border cover with solid wood
with natural polish.

RK WS TOP 006

MS Plate use only Page no - 8,9,10 Workbench



6mm Thk. (Standard) MS Plate
8mm Thk. (Option) MS Plate
10mm Thk. (Option) MS Plate

Extra heavy duty work - Teak wood log




RK WS TOP 007 50mm Thk.

RK WS TOP 008 75mm Thk.

RK WS TOP 009 100mm Thk.

50 X 50 / **75** / **100** mm Thk. (Standard) Teak wood log

All log jointing with adhesive & 16mm round bar



← 10mm log compress bolt

RK WS VS 001

Front way jaw open (100 mm Jaw Vice)

RK WS VS 002

Front way jaw open (125 mm Jaw Vice)

RK WS VS 003

Front way jaw open (150 mm Jaw Vice)



Drawers Layout for 75 to 150mm H. Drawers (150mm onward plain drawers)

RK WS DR 600-1

450W X 450D
75mm to 300mm
drawers




RK WS DR 600-2

450W X 450D
75mm to 300mm
drawers



RK WS DR 600-3


Each 150W X 450D-4no.
compartment
75/100/150 drawers



Long tool
storage


RK WS DR 600-4

Each 225W X 150D-6no.
compartment
75/100/150 drawers



RK WS DR 600-5

Each 150W X 150D-9no.
compartment
75/100/150 drawers



Plastic container only for 75 & 100mm H. Drawers




45mm H.
75mm Drawers



75mm H.
100mm Drawers

RK WS DR 600-P1


75/100 drawers



75W.X75D.X45/75H.
30no.
Plastic container
in each drawer

RK WS DR 600-P2


75/100 drawers



75W.X150D.X45/75H.
18no.
Plastic container
in each drawer

RK WS DR 600-P3


75/100 drawers





150W.X150D.X45/75H.
09no.
Plastic container
in each drawer

RK WS DR 600-P4


75/100 drawers



150W.X150D.X45/75H.
06no.
Plastic container
in each drawer
75W.X150D.X45/75H.
06no.
Plastic container
in each drawer




1no. Shelf
Light fitting bracket (w/o light)
Perfo. Panel
Plain Panel



Wooden top, hook, bin excluded

RK WS 2000 PR 008


Light fitting bracket (w/o light)
5 amp. Socket, switch-3no.
Perfo. Panel
Plain Panel



Wooden top, hook excluded

RK WS 2000 PR 009


Light fitting bracket (w/o light)
Perfo. Panel
Plain Panel



Wooden top, hook excluded

RK WS 2000 PR 010


1no. Shelf
Light fitting bracket (w/o light)
5 amp. Socket, switch-3no.
Perfo. Panel



Wooden top, hook, bin excluded

RK WS 2000 PR 011


3no. Shelf
Light fitting bracket (w/o light)
5 amp. Socket, switch-3no.
Perfo. Panel



Wooden top, hook, bin excluded

RK WS 2000 PR 012

2no. Shelf
Light fitting bracket (w/o light)
5 amp. Socket, switch-3no.
Perfo. Panel



Wooden top, hook, bin excluded

RK WS 2000 PR 013

Standard Color option :



AMERICAN BLUE
STRUCTURE FINISH



7035 PALE GREY
STRUCTURE FINISH



DA GREY
STRUCTURE FINISH



PO RED
STRUCTURE FINISH

Assembled components are transfer to pre-treatment plant for treating in 7 tank for degrees, zinc, phosphating and passivation.

Material received from pre-treatment department are immediately powder coated in the dust free painting booth and then the articles are put inside a baking oven at a temperature of 180° C for about 20 minutes.



rk steel smith
defining workspace



Plot- B/32 (Part-2) Bileshwar Indl. Estate,
Opp. G.V.M.M.,
Odhav-Kathwada Road,
Ahmedabad - 382415
Gujarat (INDIA).



+91 94 281 35 100
+91 98 253 00 059



rksteelsmith@gmail.com
info@rksteelsmith.com
sales@rksteelsmith.com



www.rksteelsmith.com