



rk steel smith
defining workspace



TEAMWORK WORKBENCH

PRODUCT RANGE

2017




Teamwork Workbench

03 & 09



Teamwork Workbench
Wooden Top & Vice

10



Teamwork Workbench
Drawer Layout

11


Technical Detail -

- (1) Overall Dimension: **2370mm W. X 2370mm D. X 850mm H.**
- (4) Work Top Accessories Option: **Page-10**
- (7) Standard: **Plain Drawer** (Option: Drawers interior- **Page-11**)

- (2) Drawer Normal Extension: **80%**
- (5) Usable drawer dimensions : **450mm W. x 450mm D.**

- (3) Each drawer load cap.: **60kg. UDL**
- (6) Static Load Cap. **1500kg.**

Worktop: Consists of 2 pieces. Complete with connecting parts.



Each Cabinet Size: 575W X 600D X 800H

Available drawer configuration model:

- RK WS TM3 001** ▶ 100X2, 200X1, 300X1 Drawers (3no. Cabinet)
- RK WS TM3 002** ▶ 75X2, 100X2, 150X1, 200X1 Drawers (3no. Cabinet)
- RK WS TM3 003** ▶ 100x1, 150X2, 300X1 Drawers (3no. Cabinet)
- RK WS TM3 004** ▶ 100x2, 150X2, 200X1 Drawers (3no. Cabinet)
- RK WS TM3 005** ▶ 100x4, 150X2 Drawers (3no. Cabinet)

Technical Detail -

- (1) Overall Dimension: **2150mm W. X 2150mm D. X 850mm H.**
- (4) Work Top Accessories Option: **Page-10**
- (7) Standard: **Plain Drawer** (Option: Drawers interior- **Page-11**)


- (2) Drawer Normal Extension: **80%**
- (5) Usable drawer dimensions : **450mm W. x 450mm D.**

- (3) Each drawer load cap.: **60kg. UDL**
- (6) Static Load Cap. **1500kg.**

Worktop: Consists of 2 pieces. Complete with connecting parts.



Each Cabinet Size: 575W X 600D X 800H



Available drawer configuration model:

- RK WS TM4 006** ▶ 100X2, 200X1, 300X1 Drawers (4no. Cabinet)
- RK WS TM4 007** ▶ 75X2, 100X2, 150X1, 200X1 Drawers (4no. Cabinet)
- RK WS TM4 008** ▶ 100x1, 150X2, 300X1 Drawers (4no. Cabinet)
- RK WS TM4 009** ▶ 100x2, 150X2, 200X1 Drawers (4no. Cabinet)
- RK WS TM4 010** ▶ 100x4, 150X2 Drawers (4no. Cabinet)

Technical Detail -

- (1) Overall Dimension: **1900mm W. X 1650mm D. X 850mm H.**
- (4) Work Top Accessories Option: **Page-10**
- (7) Standard: **Plain Drawer** (Option: Drawers interior- **Page-11**)

- (2) Drawer Normal Extension: **80%**
- (5) Usable drawer dimensions : **450mm W. x 450mm D.**

- (3) Each drawer load cap.: **60kg. UDL**
- (6) Static Load Cap. **1500kg.**


Worktop: Consists of 2 pieces. Complete with connecting parts.



Each Cabinet Size: 575W X 600D X 800H

Available drawer configuration model:

- RK WS TM3 011** ▶ 100X2, 200X1, 300X1 Drawers (3no. Cabinet)
- RK WS TM3 012** ▶ 75X2, 100X2, 150X1, 200X1 Drawers (3no. Cabinet)
- RK WS TM3 013** ▶ 100x1, 150X2, 300X1 Drawers (3no. Cabinet)
- RK WS TM3 014** ▶ 100x2, 150X2, 200X1 Drawers (3no. Cabinet)
- RK WS TM3 015** ▶ 100x4, 150X2 Drawers (3no. Cabinet)



Technical Detail -

- (1) Overall Dimension: **2400mm W. X 2070mm D. X 850mm H.**
- (4) Work Top Accessories Option: **Page-10**
- (7) Standard: **Plain Drawer** (Option: Drawers interior- **Page-11**)

- (2) Drawer Normal Extension: **80%**
- (5) Usable drawer dimensions : **450mm W. x 450mm D.**

- (3) Each drawer load cap.: **60kg. UDL**
- (6) Static Load Cap. **1500kg.**


Worktop: Consists of 2 pieces. Complete with connecting parts.



Each Cabinet Size: 575W X 600D X 800H ----- Total (6no. Cabinet)



Each Cabinet Size: 575W X 600D X 800H ----- Total (6no. Cabinet)



Technical Detail -

- (1) Overall Dimension: **2400mm W. X 2070mm D. X 850mm H.**
- (4) Work Top Accessories Option: **Page-10**
- (7) Standard: **Plain Drawer** (Option: Drawers interior- **Page-11**)

- (2) Drawer Normal Extension: **80%**
- (5) Usable drawer dimensions : **450mm W. x 450mm D.**

- (3) Each drawer load cap.: **60kg. UDL**
- (6) Static Load Cap. **1500kg.**


Worktop: Consists of 2 pieces. Complete with connecting parts.



Each Cabinet Size: 575W X 600D X 800H ----- Total (6no. Cabinet)

Available drawer configuration model:

- RK WS TM6 018** ▶ 100X2, 200X1, 300X1 Drawers (6no. Cabinet)
- RK WS TM6 019** ▶ 75X2, 100X2, 150X1, 200X1 Drawers (6no. Cabinet)
- RK WS TM6 020** ▶ 100x1, 150X2, 300X1 Drawers (6no. Cabinet)
- RK WS TM6 021** ▶ 100x2, 150X2, 200X1 Drawers (6no. Cabinet)
- RK WS TM6 022** ▶ 100x4, 150X2 Drawers (6no. Cabinet)



Technical Detail -

- (1) Overall Dimension: **1950mm W. X 1950mm D. X 850mm H.**
- (4) Work Top Accessories Option: **Page-10**
- (7) Standard: **Plain Drawer** (Option: Drawers interior- **Page-11**)

- (2) Drawer Normal Extension: **80%**
- (5) Usable drawer dimensions : **450mm W. x 450mm D.**

- (3) Each drawer load cap.: **60kg. UDL**
- (6) Static Load Cap. **1500kg.**


Worktop: Consists of 2 pieces. Complete with connecting parts.



Each Cabinet Size: 575W X 600D X 800H ----- Total (4no. Cabinet)

Available drawer configuration model:

- RK WS TM4 023** ▶ 100X2, 200X1, 300X1 Drawers (4no. Cabinet)
- RK WS TM4 024** ▶ 75X2, 100X2, 150X1, 200X1 Drawers (4no. Cabinet)
- RK WS TM4 025** ▶ 100x1, 150X2, 300X1 Drawers (4no. Cabinet)
- RK WS TM4 026** ▶ 100x2, 150X2, 200X1 Drawers (4no. Cabinet)
- RK WS TM4 027** ▶ 100x4, 150X2 Drawers (4no. Cabinet)



Technical Detail -

- (1) Overall Dimension: **2750mm W. X 2750mm D. X 850mm H.**
- (4) Work Top Accessories Option: **Page-10**
- (7) Standard: **Plain Drawer** (Option: Drawers interior- **Page-11**)


- (2) Drawer Normal Extension: **80%**
- (5) Usable drawer dimensions : **450mm W. x 450mm D.**

- (3) Each drawer load cap.: **60kg. UDL**
- (6) Static Load Cap. **1500kg.**

Worktop: Consists of 2 pieces. Complete with connecting parts.



Option - C
Vice



Each Cabinet Size: 575W X 600D X 800H ----- Total (4no. Cabinet)

Available drawer configuration model:

- RK WS TM8 028** ▶ 100X2, 200X1, 300X1 Drawers (8no. Cabinet)
- RK WS TM8 029** ▶ 75X2, 100X2, 150X1, 200X1 Drawers (8no. Cabinet)
- RK WS TM8 030** ▶ 100x1, 150X2, 300X1 Drawers (8no. Cabinet)
- RK WS TM8 031** ▶ 100x2, 150X2, 200X1 Drawers (8no. Cabinet)
- RK WS TM8 032** ▶ 100x4, 150X2 Drawers (8no. Cabinet)

Worktop Accessories: Consists of 2 OR 3 pieces. Complete with connecting parts.

RK WS TOP 001




Rubber sheet
35mm Thk. (Standard)
50mm Thk. (Option) Ply top
and 4mm Thk. Loose rubber sheet
Border cover with solid wood
with natural polish.

RK WS TOP 002




Angle section edging (4 side)
35mm Thk. (Standard)
50mm Thk. (Option) Ply top and
4mm Thk. Rubber sheet with
Angle section edging (4 side)
covered with a 1.5 mm thk.

RK WS TOP 003




GI (galvanise) sheet.
35mm Thk. (Standard)
50mm Thk. (Option) Ply top
covered with a 1.5 or 2.0 mm thk.
GI (galvanise) sheet.

RK WS TOP 004



304 S.S. (Stainless steel) Sheet.
35mm Thk. (Standard)
50mm Thk. (Option) Ply top
covered with a 1.5 or 2.0 mm thk.
304 S.S. (Stainless steel) Sheet.

RK WS TOP 005



Laminate sheet
35mm Thk. (Standard)
50mm Thk. (Option) Ply top
1mm Laminate Sheet,
Border cover with solid wood
with natural polish.

RK WS TOP 006



Veneer sheet
35mm Thk. (Standard)
50mm Thk. (Option) Ply top
4mm Veneer Sheet,
Border cover with solid wood
with natural polish.


Extra heavy duty work - Teak wood log



- RK WS TOP 007** 50mm Thk.
- RK WS TOP 008** 75mm Thk.
- RK WS TOP 009** 100mm Thk.

50 X 50 / **75** / **100** mm Thk. (Standard) Teak wood log

All log jointing with adhesive & 16mm round bar



RK WS VS 001

Front way jaw open (100 mm Jaw Vice)

RK WS VS 002

Front way jaw open (125 mm Jaw Vice)



Drawers Layout for 75 to 150mm H. Drawers (150mm onward plain drawers)

RK WS DR 600-1

450W X 450D
75mm to 300mm
drawers




RK WS DR 600-2

450W X 450D
75mm to 300mm
drawers



RK WS DR 600-3


Each 150W X 450D-4no.
compartment
75/100/150 drawers



Long tool
storage


RK WS DR 600-4

Each 225W X 150D-6no.
compartment
75/100/150 drawers



RK WS DR 600-5

Each 150W X 150D-9no.
compartment
75/100/150 drawers



Plastic container only for 75 & 100mm H. Drawers




45mm H.
75mm Drawers



75mm H.
100mm Drawers

RK WS DR 600-P1


75/100 drawers



75W.X75D.X45/75H.
30no.
Plastic container
in each drawer

RK WS DR 600-P2


75/100 drawers



75W.X150D.X45/75H.
18no.
Plastic container
in each drawer

RK WS DR 600-P3


75/100 drawers



150W.X150D.X45/75H.
09no.
Plastic container
in each drawer

RK WS DR 600-P4

75/100 drawers



150W.X150D.X45/75H.
06no.
Plastic container
in each drawer
75W.X150D.X45/75H.
06no.
Plastic container
in each drawer

Standard Color option :



DA GREY
STRUCTURE FINISH



7035 PALE GREY
STRUCTURE FINISH



VIP BLUE
STRUCTURE FINISH



AMERICAN BLUE
STRUCTURE FINISH



PO RED
STRUCTURE FINISH

Assembled components are transfer to pre-treatment plant for treating in 7 tank for degrees, zinc, phosphating and passivation.

Material received from pre-treatment department are immediately powder coated in the dust free painting booth and then the articles are put inside a baking oven at a temperature of 180° C for about 20 minutes.



rk steel smith
defining workspace



Plot- B/32 (Part-2) Bileshwar Indl. Estate,
Opp. G.V.M.M.,
Odhav-Kathwada Road,
Ahmedabad - 382415
Gujarat (INDIA).



+91 94 281 35 100
+91 98 253 00 059



rksteelsmith@gmail.com
info@rksteelsmith.com
sales@rksteelsmith.com



www.rksteelsmith.com