




**rk steel smith**  
defining workspace



**3000MM WIDE WORKBENCH**  
PRODUCT RANGE

**2018**




**Workbench**  
3000 Wide




03 to 06



**Workbench**  
Wooden Top & Vice



07



**Workbench**  
Drawer Layout

08

# 3000 Wide Workstation

40mm X 40mm X 2mm thk. Square Pipe Frame

## Technical Detail -

(1) Overall Dimension: **3000mm W. X 750mm D. X 850mm H.**

(4) Work Top Accessories Option: **Page-07**

(7) Standard: **Plain Drawer** (Option: **Drawers interior- Page-08**)

(2) Drawer Normal Extension: **80%**

(5) Usable drawer dimensions : **450mm W. x 450mm D.**

(3) Each drawer load cap.: **60kg. UDL**

(6) Static Load Cap. **1500kg.**

**Worktop: Consists of 2 pieces. Complete with connecting parts.**



# 3000 Wide Workstation

40mm X 40mm X 2mm thk. Square Pipe Frame

## Technical Detail -

(1) Overall Dimension: **3000mm W. X 750mm D. X 850mm H.**

(4) Work Top Accessories Option: **Page-07**

(7) Standard: **Plain Drawer** (Option: Drawers interior- **Page-08**)

(2) Drawer Normal Extension: **80%**

(5) Usable drawer dimensions : **450mm W. x 450mm D.**

(3) Each drawer load cap.: **60kg. UDL**

(6) Static Load Cap. **1500kg.**

**Worktop: Consists of 2 pieces. Complete with connecting parts.**



RK WS 3000 010



RK WS 3000 011



RK WS 3000 012



RK WS 3000 013



RK WS 3000 014



RK WS 3000 015

# 3000 Wide Workstation

40mm X 40mm X 2mm thk. Square Pipe Frame

## Technical Detail -

(1) Overall Dimension: **3000mm W. X 750mm D. X 850mm H.**

(4) Work Top Accessories Option: **Page-07**

(7) Standard: **Plain Drawer** (Option: Drawers interior- **Page-08**)

(2) Drawer Normal Extension: **80%**

(5) Usable drawer dimensions : **450mm W. x 450mm D.**

(3) Each drawer load cap.: **60kg. UDL**

(6) Static Load Cap. **1500kg.**

**Worktop: Consists of 2 pieces. Complete with connecting parts.**



RK WS 3000 016



RK WS 3000 017



RK WS 3000 018



RK WS 3000 019



RK WS 3000 020



RK WS 3000 021

Technical Detail -

(1) Overall Dimension: **3000mm W. X 750mm D. X 850mm H.**

(4) Work Top Accessories Option: **Page-07**

(7) Standard: **Plain Drawer** (Option: **Drawers interior- Page-08**)

(2) Drawer Normal Extension: **80%**

(5) Usable drawer dimensions : **450mm W. x 450mm D.**

(3) Each drawer load cap.: **60kg. UDL**

(6) Static Load Cap. **1500kg.**



**RK WS TOP 001**



**Rubber sheet**

35mm Thk. (Standard)  
**50mm Thk. (Option)** Ply top  
and 4mm Thk. Loose rubber sheet  
Border cover with solid wood  
with natural polish.


**RK WS TOP 002**



**Angle section edging (4 side)**

35mm Thk. (Standard)  
**50mm Thk. (Option)** Ply top and  
4mm Thk. Rubber sheet with  
Angle section edging (4 side)  
covered with a 1.5 mm thk.


**RK WS TOP 003**



**GI (galvanise) sheet.**

35mm Thk. (Standard)  
**50mm Thk. (Option)** Ply top  
covered with a 1.5 or 2.0 mm thk.  
GI (galvanise) sheet.


**RK WS TOP 004**



**304 S.S. (Stainless steel) Sheet.**

35mm Thk. (Standard)  
**50mm Thk. (Option)** Ply top  
covered with a 1.5 or 2.0 mm thk.  
304 S.S. (Stainless steel) Sheet.

**RK WS TOP 005**




**Laminate sheet**

35mm Thk. (Standard)  
**50mm Thk. (Option)** Ply top  
1mm Laminate Sheet,  
Border cover with solid wood  
with natural polish.

**RK WS TOP 006**

**MS Plate use only Page no - 3,4,5 Workbench**



6mm Thk. (Standard) MS Plate  
8mm Thk. (Option) MS Plate  
10mm Thk. (Option) MS Plate

### Extra heavy duty work - Teak wood log




**RK WS TOP 007** 50mm Thk.

**RK WS TOP 008** 75mm Thk.

**RK WS TOP 009** 100mm Thk.

50 X 50 / **75** / **100** mm Thk. (Standard) Teak wood log

All log jointing with adhesive & 16mm round bar



**RK WS VS 001** Front way jaw open (100 mm Jaw Vice )

**RK WS VS 002** Front way jaw open (125 mm Jaw Vice )

**RK WS VS 003** Front way jaw open (150 mm Jaw Vice )



## Drawers Layout for 75 to 150mm H. Drawers (150mm onward plain drawers)

**RK WS DR 600-1**

450W X 450D  
75mm to 300mm  
drawers




**RK WS DR 600-2**

450W X 450D  
75mm to 300mm  
drawers



**RK WS DR 600-3**


Each 150W X 450D-4no.  
compartment  
75/100/150 drawers



Long tool  
storage


**RK WS DR 600-4**

Each 225W X 150D-6no.  
compartment  
75/100/150 drawers



**RK WS DR 600-5**

Each 150W X 150D-9no.  
compartment  
75/100/150 drawers



## Plastic container only for 75 & 100mm H. Drawers




45mm H.  
75mm Drawers



75mm H.  
100mm Drawers

**RK WS DR 600-P1**


75/100 drawers



75W.X75D.X45/75H.  
30no.  
Plastic container  
in each drawer

**RK WS DR 600-P2**


75/100 drawers



75W.X150D.X45/75H.  
18no.  
Plastic container  
in each drawer

**RK WS DR 600-P3**


75/100 drawers



150W.X150D.X45/75H.  
09no.  
Plastic container  
in each drawer

**RK WS DR 600-P4**

75/100 drawers



150W.X150D.X45/75H.  
06no.  
Plastic container  
in each drawer  
75W.X150D.X45/75H.  
06no.  
Plastic container  
in each drawer



## Standard Color option :

---



AMERICAN BLUE  
STRUCTURE FINISH



7035 PALE GREY  
STRUCTURE FINISH



DA GREY  
STRUCTURE FINISH



PO RED  
STRUCTURE FINISH

Assembled components are transfer to pre-treatment plant for treating in 7 tank for degrees, zinc, phosphating and passivation.

Material received from pre-treatment department are immediately powder coated in the dust free painting booth and then the articles are put inside a baking oven at a temperature of 180° C for about 20 minutes.



**rk steel smith**  
defining workspace



Plot- B/32 (Part-2) Bileshwar Indl. Estate,  
Opp. G.V.M.M.,  
Odhav-Kathwada Road,  
Ahmedabad - 382415  
Gujarat (INDIA).



+91 94 281 35 100  
+91 98 253 00 059



rksteelsmith@gmail.com  
info@rksteelsmith.com  
sales@rksteelsmith.com



www.rksteelsmith.com