




**rk steel smith**  
defining workspace

# METAL PART INDUSTRIAL SHELVING

PRODUCT RANGE



2018



Metal Part Industrial Shelving

03 to 07




Metal Part Industrial Deep Shelving

08 to 09



Metal Part Industrial Bin Shelving

10 to 13



Colour — 14



**5 - Shelf**

**Technical Detail:**

- (1) **Overall Dimension:**  
915mm W. X 450mm D. X 1850mm H.
- (2) **Shelf:**  
5no. (1.6mm thk. sheet with stiffner)
- (3) **Each Shelf load capacity:** 150 Kg.

**RK INDL SHELV 135 - 01**

16 Gauge (1.5mm thk.)  
Construction



**6 - Shelf**

**Technical Detail:**

- (1) **Overall Dimension:**  
915mm W. X 450mm D. X 1850mm H.
- (2) **Shelf:**  
5no. (1.6mm thk. sheet with stiffner)
- (3) **Each Shelf load capacity:** 150 Kg.

**RK INDL SHELV 145 - 02**

16 Gauge (1.5mm thk.)  
Construction



**8 - Shelf**

**Technical Detail:**

- (1) **Overall Dimension:**  
915mm W. X 450mm D. X 1850mm H.
- (2) **Shelf:**  
5no. (1.6mm thk. sheet with stiffner)
- (3) **Each Shelf load capacity:** 150 Kg.

**RK INDL SHELV 170 - 03**

16 Gauge (1.5mm thk.)  
Construction





All Welded

Minimum order qty. 05no.

**Technical Detail:**

- (1) Overall Dimension: 915mm W. X 450mm D. X 1850mm H.
- (2) Compartment: 450mm W. X 250mm H. - **14nos.**
- (3) Each Compt. load capacity: 20 Kg.

**RK INDL SHELV 160 - 04**

16 Gauge (1.5mm thk.) Construction



All Welded

Minimum order qty. 05no.

**Technical Detail:**

- (1) Overall Dimension: 915mm W. X 450mm D. X 1850mm H.
- (2) Compartment: 300mm W. X 250mm H. - **21nos.**
- (3) Each Compt. load capacity: 20 Kg.

**RK INDL SHELV 190 - 05**

16 Gauge (1.5mm thk.) Construction



All Welded

Minimum order qty. 05no.

**Technical Detail:**

- (1) Overall Dimension: 915mm W. X 450mm D. X 1850mm H.
- (2) Compartment: 225mm W. X 175mm H. - **32nos.**  
225mm W. X 300mm H. - **04nos.**
- (3) Each Compt. load capacity: 20 Kg.

**RK INDL SHELV 209 - 06**

16 Gauge (1.5mm thk.) Construction



**All Welded**  
**Minimum order qty. 05no.**

**Technical Detail:**

- (1) **Overall Dimension:**  
915mm W. X 450mm D. X 1850mm H.
- (2) **Compartment:**  
225mm W. x 250mm H.- **04nos.**  
450mm W. x 250mm H.- **06nos.**  
300mm W.x 250mm H.- **06nos.**  
900mm W. x 250mm H.- **01nos.**
- (3) **Each Compt. load capacity:** 20 Kg.

**RK INDL SHELV 170 - 07**

**16 Gauge (1.5mm thk.) Construction**



**All Welded**  
**Minimum order qty. 05no.**

**Technical Detail:**

- (1) **Overall Dimension:**  
915mm W. X 450mm D. X 1850mm H.
- (2) **Compartment:**  
225mm W. x 250mm H.- **06nos.**  
450mm W. x 250mm H.- **05nos.**  
450mm W.x 200mm H.- **04nos.**  
900mm W. x 350mm H.- **01nos.**
- (3) **Each Compt. load capacity:** 20 Kg.

**RK INDL SHELV 175 - 08**

**16 Gauge (1.5mm thk.) Construction**



**All Welded**  
**Minimum order qty. 05no.**

**Technical Detail:**

- (1) **Overall Dimension:**  
915mm W. X 450mm D. X 1850mm H.
- (2) **Compartment:**  
150mm W. x 175mm H.- **48nos.**  
150mm W. x 300mm H.- **06nos.**
- (3) **Each Compt. load capacity:** 20 Kg.

**RK INDL SHELV 242 - 09**

**16 Gauge (1.5mm thk.) Construction**





All Welded

Minimum order qty. 05no.

**Technical Detail:**

- (1) Overall Dimension:  
915mm W. X 450mm D. X 1850mm H.
- (2) Compartment:  
150mm W. x 125mm H.- 18nos.  
450mm W. x 200mm H.- 04nos.  
225mm W. x 225mm H.- 04nos.  
900mm W. x 250mm H.- 03nos.
- (3) Each Compt. load capacity: 20 Kg.

**RK INDL SHELV 200 - 10**

16 Gauge (1.5mm thk.) Construction



All Welded


Minimum order qty. 05no.

**Technical Detail:**

- (1) Overall Dimension:  
915mm W. X 450mm D. X 1850mm H.
- (2) Compartment:  
150mm W. x 125mm H.- 66nos.  
225mm W. x 185mm H.- 12nos.
- (3) Each Compt. load capacity: 20 Kg.

**RK INDL SHELV 279 - 11**

16 Gauge (1.5mm thk.) Construction



All Welded

Minimum order qty. 05no.

**Technical Detail:**

- (1) Overall Dimension:  
915mm W. X 450mm D. X 1850mm H.
- (2) Compartment:  
100mm W. x 125mm H.- 99nos.  
100mm W. x 185mm H.- 18nos.
- (3) Each Compt. load capacity: 20 Kg.

**RK INDL SHELV 343 - 12**

16 Gauge (1.5mm thk.) Construction



**All Welded**  
Minimum order qty. 05no.

**Technical Detail:**

- (1) **Overall Dimension:**  
915mm W. X 450mm D. X 1850mm H.
- (2) **Compartment:**  
225mm W. x 125mm H.- **24nos.**  
225mm W. x 250mm H.- **04nos.**  
300mm W. x 250mm H.- **09nos.**
- (3) **Each Compt. load capacity:** 20 Kg.

**RK INDL SHELV 212 - 13**

16 Gauge (1.5mm thk.)  
Construction



**All Welded**  
Minimum order qty. 05no.

**Technical Detail:**

- (1) **Overall Dimension:**  
915mm W. X 450mm D. X 1850mm H.
- (2) **Compartment:**  
225mm W. x 125mm H.- **12nos.**  
150mm W. x 175mm H.- **24nos.**  
300mm W. x 175mm H.- **12nos.**  
300mm W. x 250mm H.- **24nos.**
- (3) **Each Compt. load capacity:** 20 Kg.

**RK INDL SHELV 221 - 14**

16 Gauge (1.5mm thk.)  
Construction



**All Welded**  
Minimum order qty. 05no.

**Technical Detail:**

- (1) **Overall Dimension:**  
915mm W. X 450mm D. X 1850mm H.
- (2) **Compartment:**  
225mm W. x 175mm H.- **12nos.**  
150mm W. x 175mm H.- **06nos.**  
150mm W. x 125mm H.- **12nos.**  
225mm W. x 175mm H.- **04nos.**  
225mm W. x 225mm H.- **04nos.**  
900mm W. x 350mm H.- **01nos.**
- (3) **Each Compt. load capacity:** 20 Kg.

**RK INDL SHELV 201 - 15**

16 Gauge (1.5mm thk.)  
Construction



## Ideal for storing special purpose long items

### Description:

- Angle Post
- Heavy-Duty Formed Shelves
- Vertical dividers bolt in for added strength and durability
- Horizontal stabilization beams eliminate sway
- 18 gauge side & back panels
- All Units 36"(915) wide by 87"(2210) high



### 1220mm Depth

- Technical Detail:**
- (1) **Overall Dimension:**  
915mm W. X **1220mm D.** X 2200mm H.
  - (2) **Compartment:**  
300mm W. X 300mm H. X **1200mm D.**  
- **18nos.**
  - (3) **Each Compartment load capacity:**  
150 Kg.
  - (4) **Material:**  
Standard - (1.6mm thk. sheet)  
Option - (2.0mm thk. sheet)

**RK INDL SHELV 16**

### 1800mm Depth

- Technical Detail:**
- (1) **Overall Dimension:**  
915mm W. X **1800mm D.** X 2200mm H.
  - (2) **Compartment:**  
300mm W. X 300mm H. X **1800mm D.**  
- **18nos.**
  - (3) **Each Compartment load capacity:**  
150 Kg.
  - (4) **Material:**  
Standard - (1.6mm thk. sheet)  
Option - (2.0mm thk. sheet)

**RK INDL SHELV 17**

### 2400mm Depth

- Technical Detail:**
- (1) **Overall Dimension:**  
915mm W. X **2400mm D.** X 2200mm H.
  - (2) **Compartment:**  
300mm W. X 300mm H. X **2400mm D.**  
- **18nos.**
  - (3) **Each Compartment load capacity:**  
150 Kg.
  - (4) **Material:**  
Standard - (1.6mm thk. sheet)  
Option - (2.0mm thk. sheet)

**RK INDL SHELV 18**



### 1220mm Depth

- Technical Detail:**
- (1) **Overall Dimension:**  
915mm W. X **1220mm D.** X 2200mm H.
  - (2) **Compartment:**  
250mm W. X 300mm H. X **1200mm D.**  
- **28nos.**
  - (3) **Each Compartment load capacity:**  
150 Kg.
  - (4) **Material:**  
Standard - (1.6mm thk. sheet)  
Option - (2.0mm thk. sheet)

**RK INDL SHELV 19**

### 1800mm Depth

- Technical Detail:**
- (1) **Overall Dimension:**  
915mm W. X **1800mm D.** X 2200mm H.
  - (2) **Compartment:**  
250mm W. X 300mm H. X **1800mm D.**  
- **28nos.**
  - (3) **Each Compartment load capacity:**  
150 Kg.
  - (4) **Material:**  
Standard - (1.6mm thk. sheet)  
Option - (2.0mm thk. sheet)

**RK INDL SHELV 20**

### 2400mm Depth

- Technical Detail:**
- (1) **Overall Dimension:**  
915mm W. X **2400mm D.** X 2200mm H.
  - (2) **Compartment:**  
250mm W. X 300mm H. X **2400mm D.**  
- **28nos.**
  - (3) **Each Compartment load capacity:**  
150 Kg.
  - (4) **Material:**  
Standard - (1.6mm thk. sheet)  
Option - (2.0mm thk. sheet)

**RK INDL SHELV 21**



## Ideal for storing special purpose long items

### Description:

- Angle Post
- Heavy-Duty Formed Shelves
- Vertical dividers bolt in for added strength and durability
- Horizontal stabilization beams eliminate sway
- 18 gauge side & back panels
- All Units 36"(915) wide by 87"(2210) high



### 1220mm Depth

**Technical Detail:**

- (1) **Overall Dimension:**  
915mm W. X **1220mm D.** X 2200mm H.
- (2) **Compartment:**  
180mm W. X 175mm H. X **1200mm D.**  
**- 50nos.**
- (3) **Each Compartment load capacity:**  
150 Kg.
- (4) **Material:**  
Standard - (1.6mm thk. sheet)  
Option - (2.0mm thk. sheet)

**RK INDL SHELV 22**

### 1800mm Depth

**Technical Detail:**

- (1) **Overall Dimension:**  
915mm W. X **1800mm D.** X 2200mm H.
- (2) **Compartment:**  
180mm W. X 175mm H. X **1800mm D.**  
**- 50nos.**
- (3) **Each Compartment load capacity:**  
150 Kg.
- (4) **Material:**  
Standard - (1.6mm thk. sheet)  
Option - (2.0mm thk. sheet)

**RK INDL SHELV 23**

### 2400mm Depth

**Technical Detail:**

- (1) **Overall Dimension:**  
915mm W. X **2400mm D.** X 2200mm H.
- (2) **Compartment:**  
180mm W. X 175mm H. X **2400mm D.**  
**- 50nos.**
- (3) **Each Compartment load capacity:**  
150 Kg.
- (4) **Material:**  
Standard - (1.6mm thk. sheet)  
Option - (2.0mm thk. sheet)

**RK INDL SHELV 24**



### 1220mm Depth

**Technical Detail:**

- (1) **Overall Dimension:**  
915mm W. X **1220mm D.** X 2200mm H.
- (2) **Compartment:**  
110mm W. X 130mm H. X **1200mm D.**  
**- 96nos.**
- (3) **Each Compartment load capacity:**  
150 Kg.
- (4) **Material:**  
Standard - (1.6mm thk. sheet)  
Option - (2.0mm thk. sheet)

**RK INDL SHELV 25**

### 1800mm Depth

**Technical Detail:**

- (1) **Overall Dimension:**  
915mm W. X **1800mm D.** X 2200mm H.
- (2) **Compartment:**  
110mm W. X 130mm H. X **1800mm D.**  
**- 96nos.**
- (3) **Each Compartment load capacity:**  
150 Kg.
- (4) **Material:**  
Standard - (1.6mm thk. sheet)  
Option - (2.0mm thk. sheet)

**RK INDL SHELV 26**

### 2400mm Depth

**Technical Detail:**

- (1) **Overall Dimension:**  
915mm W. X **2400mm D.** X 2200mm H.
- (2) **Compartment:**  
110mm W. X 130mm H. X **2400mm D.**  
**- 96nos.**
- (3) **Each Compartment load capacity:**  
150 Kg.
- (4) **Material:**  
Standard - (1.6mm thk. sheet)  
Option - (2.0mm thk. sheet)

**RK INDL SHELV 27**

- Sturdy steel compartments are joined into row sections
- Stable stacking system provides secure level stacking
- Reconfigure system by rearranging levels - no need to empty compartments
- Compartments have hopper fronts for ease of accessing stored items
- Base included in stacking system to raise bins for better ergonomics in picking parts



**Technical Detail:**  
 (1) Overall Dimension:  
 915mm W. X **600mm D.** X 900mm H.  
 (2) Compartment:  
 450mm W. X 250mm H. X **600mm D.**  
 - **06nos.**  
 (3) Each Compt. load capacity: 25 Kg.

**RK INDL SHELV 100 - 28**

16 Gauge (1.5mm thk.)  
Construction

Minimum  
order qty.  
05no.



**Technical Detail:**  
 (1) Overall Dimension:  
 915mm W. X **600mm D.** X 1400mm H.  
 (2) Compartment:  
 450mm W. X 250mm H. X **600mm D.**  
 - **10nos.**  
 (3) Each Compt. load capacity: 25 Kg.

**RK INDL SHELV 125 - 29**

16 Gauge (1.5mm thk.)  
Construction

Minimum  
order qty.  
05no.



**Technical Detail:**  
 (1) Overall Dimension:  
 915mm W. X **600mm D.** X 1150mm H.  
 (2) Compartment:  
 450mm W. X 250mm H. X **600mm D.**  
 - **08nos.**  
 (3) Each Compt. load capacity: 25 Kg.

**RK INDL SHELV 125 - 29**

16 Gauge (1.5mm thk.)  
Construction

Minimum  
order qty.  
05no.





**Technical Detail:**  
 (1) **Overall Dimension:**  
 915mm W. X **600mm D.** X 1150mm H.  
 (2) **Compartment:**  
 305mm W. X 250mm H. X **600mm D.**  
 - **12nos.**  
 (3) **Each Compt. load capacity:** 25 Kg.

**RK INDL SHELV 150 - 30**

16 Gauge (1.5mm thk.)  
Construction

Minimum  
order qty.  
05no.



**Technical Detail:**  
 (1) **Overall Dimension:**  
 915mm W. X **600mm D.** X 1400mm H.  
 (2) **Compartment:**  
 305mm W. X 250mm H. X **600mm D.**  
 - **15nos.**  
 (3) **Each Compt. load capacity:** 25 Kg.

**RK INDL SHELV 190 - 30**

16 Gauge (1.5mm thk.)  
Construction

Minimum  
order qty.  
05no.



**Technical Detail:**  
 (1) **Overall Dimension:**  
 915mm W. X **600mm D.** X 1650mm H.  
 (2) **Compartment:**  
 305mm W. X 250mm H. X **600mm D.**  
 - **18nos.**  
 (3) **Each Compt. load capacity:** 25 Kg.

**RK INDL SHELV 230 - 31**

16 Gauge (1.5mm thk.)  
Construction

Minimum  
order qty.  
05no.





**Technical Detail:**  
 (1) Overall Dimension:  
 915mm W. X **400mm D.** X 1150mm H.  
 (2) Compartment:  
 225mm W. X 200mm H. X **400mm D.**  
 - **20nos.**  
 (3) Each Compt. load capacity: 25 Kg.

**RK INDL SHELV 130 - 32**

16 Gauge (1.5mm thk.)  
Construction

Minimum  
order qty.  
05no.



**Technical Detail:**  
 (1) Overall Dimension:  
 915mm W. X **400mm D.** X 1350mm H.  
 (2) Compartment:  
 225mm W. X 200mm H. X **400mm D.**  
 - **24nos.**  
 (3) Each Compt. load capacity: 25 Kg.

**RK INDL SHELV 160 - 33**

16 Gauge (1.5mm thk.)  
Construction

Minimum  
order qty.  
05no.



**Technical Detail:**  
 (1) Overall Dimension:  
 915mm W. X **400mm D.** X 1550mm H.  
 (2) Compartment:  
 225mm W. X 200mm H. X **400mm D.**  
 - **28nos.**  
 (3) Each Compt. load capacity: 25 Kg.

**RK INDL SHELV 130 - 34**

16 Gauge (1.5mm thk.)  
Construction

Minimum  
order qty.  
05no.



**Technical Detail:**  
 (1) **Overall Dimension:**  
 915mm W. X **300mm D.** X 1050mm H.  
 (2) **Compartment:**  
 180mm W. X 150mm H. X **300mm D.**  
 - **30nos.**  
 (3) **Each Compt. load capacity:** 25 Kg.

**RK INDL SHELV** 150 - 35

**Minimum order qty.**  
05no.

**16 Gauge (1.5mm thk.) Construction**



**Technical Detail:**  
 (1) **Overall Dimension:**  
 915mm W. X **300mm D.** X 1350mm H.  
 (2) **Compartment:**  
 180mm W. X 150mm H. X **300mm D.**  
 - **40nos.**  
 (3) **Each Compt. load capacity:** 25 Kg.

**RK INDL SHELV** 210 - 37

**Minimum order qty.**  
05no.

**16 Gauge (1.5mm thk.) Construction**



**Technical Detail:**  
 (1) **Overall Dimension:**  
 915mm W. X **300mm D.** X 1200mm H.  
 (2) **Compartment:**  
 180mm W. X 150mm H. X **300mm D.**  
 - **35nos.**  
 (3) **Each Compt. load capacity:** 25 Kg.

**RK INDL SHELV** 180 - 36

**Minimum order qty.**  
05no.

**16 Gauge (1.5mm thk.) Construction**



**Technical Detail:**  
 (1) **Overall Dimension:**  
 915mm W. X **300mm D.** X 1500mm H.  
 (2) **Compartment:**  
 180mm W. X 150mm H. X **300mm D.**  
 - **50nos.**  
 (3) **Each Compt. load capacity:** 25 Kg.

**RK INDL SHELV** 240 - 38

**Minimum order qty.**  
05no.

**16 Gauge (1.5mm thk.) Construction**

## Standard Color option :

---



AMERICAN BLUE  
STRUCTURE FINISH



7035 PALE GREY  
STRUCTURE FINISH



DA GREY  
STRUCTURE FINISH



PO RED  
STRUCTURE FINISH

Assembled components are transfer to pre-treatment plant for treating in 7 tank for degrees, zinc, phosphating and passivation.

Material received from pre-treatment department are immediately powder coated in the dust free painting booth and then the articles are put inside a baking oven at a temperature of 180° C for about 20 minutes.





**rk steel smith**  
defining workspace



Plot- B/32 (Part-2) Bileshwar Indl. Estate,  
Opp. G.V.M.M.,  
Odhav-Kathwada Road,  
Ahmedabad - 382415  
Gujarat (INDIA).



+91 94 281 35 100  
+91 98 253 00 059



rksteelsmith@gmail.com  
info@rksteelsmith.com  
sales@rksteelsmith.com



www.rksteelsmith.com